
LDRD Highlight: Using High Performance Computing to Examine the Processes of Neurogenesis AND 2015-1476R Separation/Completion of Episodic Information - Sandia researchers developed novel methods and metrics for studying the computational function of neurogenesis, thus generating substantial impact to the neuroscience and neural computing communities. This work could benefit applications in machine learning and other analysis activities. **Background:** Understanding how the brain distinguishes between patterns of related events that are separated in time could have far-ranging impacts with regard to Sandia's ambition to establish next-generation memory processing and pattern recognition systems. The purpose of this project was to computationally model the impact of neural population dynamics within the neurobiological memory system in order to examine how subareas in the brain enable pattern separation and completion of information in memory across timeas associated experiences. Studies suggest a neural region responsible for memory encoding, the dentate gyrus, DG, is aided by lifelong neurogenesis, which is the generation of new neurons that enter into the local network. Neurogenesis may serve to support the process of discriminating (separating) patterns by reducing similarity between new and older event information. It may also support pattern completion by increasing associations between temporally similar events, which are then transmitted to the CA3 area of the hippocampus as sparse inputs. **LDRD Accomplishments:** This project examined the computational function of neurogenesis from a number of different perspectives. The researchers achieved human scale neuron number in simulations of the neurogenic DG region, which is among the first times this has been done in biologically realistic, hypothesis driven computational neuroscienœ research. As shown in Figures 1 and 2, these scaling studies showed a marked interaction of scale with neurogenesis function, demonstrating that the presence of new neurons is more important in larger brains and thus perhaps uniquely important for human cognition. A procedure for assessing the sensitivity and validity of large-scale neural models was developed; this application of uncertainty quantification techniques to neuroscience is among the first demonstration of these methods to neuroscience Finally, the team developed novel metrics for assessing the information content of the neurons in their simulations. The ensemble based information methods are based on compression theoretic approaches in computer science. LDRD Impact: This work is among first human-scale neural circuit models that address a meaningful biological question, specifically the function of adult neurogenesis which has been implicated in a number of cognitive tasks. The UQ approach and novel metrics have broad potential relevance to neuroscience community, both as potential tools in understanding neural function and potentially informing government programs. This work helped inspire a number of machine learning techniques that have potential impact in extending algorithmic pattern recognition capabilities. Identified potential application of neurogenesis based algorithms in compressive sensing are tightly aligned with the Beyond Moore's Law Research Challenge (as well as Detection at Limits and Data Sciences RCs). Additionally, the neurogenesis-inspired algorithmic adaptation approaches will contribute to Hardware Acceleration of Adaptive Neural Algorithms (HAANA) Grand Challenge.







FIGURE 1 (left) Network diagram of simulated dentate gyrus circuit with realistic neuron numbers in rats. Human dentate gyrus region has ~16x levels, which was simulated on RedSky. Figure 2 (right) Simulation scaled up to biologically realistic scales (x-axis is 1000s of neurons; lighter green lines are progressively higher neurogenesis levels), depicting the significant impact of scaling on function. Mouse: 30,000 GCs (principle neurons); Rat: 1,000,000 GCs; Human: 10,000,000 GCs; Synapses limiting – human ~10<sup>11</sup> synapses; Human scale simulations (for a few seconds of activity) required 1200 cores for ~15 Red Sky hours.





LDRD Highlight: Enabling the First Ever Measurement of Coherent Neutrino Scattering Through Background Neutron Measurements - Exploratory Express R&D led to the design of an experiment dedicated to the first-ever detection of coherent neutrino nucleus scattering (CNNS), a theoretical interaction at the forefront of basic neutrino physics. CNNS is considered a promising technology for nuclear reactor monitoring. **Background:** A first ever measurement of neutrinos scattering coherently off of target nuclei is of interest from a fundamental perspective in that it was predicted in 1974, but never observed due to the demands on the detector technology required. It also has relevance to the understanding of solar physics and super-nova dynamics. Sandia has been developing the low-energy sensitivity required for this capability with Germanium detectors for several years (both from LDRD and NA22 funding) due to the possibility of much more compact neutrino detectors being available for possible safeguards applications. Background measurements, initially supported by an Exploratory Express LDRD using the Neutron Scatter Camera (NSC), were performed at the Spallation Neutron Source, SNS, at Oakridge National Laboratory. The SNS is a neutron facility that creates a high-flux of neutrinos as a by-product. Those neutrinos are about 10 times higher in energy than neutrinos from reactors and therefore easier to see through this process. The goal of the experiment was to operate the NSC for measurement of medium to high-energy neutrons within the SNS experimental facility that penetrate the existing shielding. Measuring and imaging these fast neutron backgrounds at the potential experimental locations allowed an accurate assessment of their impact on a CNNS experiment and a determination of thenecessary additional shielding to enable such an experiment to succeed. LDRD Accomplishments: In addition to an existing capability of measuring neutrons from 1-10MeV, the operational range of the NSC was extended to record and image neutron backgrounds in excess of 100MeV. This represents a powerful achievement for the detectorand has provided a wealth of information. These measurements now enable other scientists to determine how much additional neutron shielding will be required to allow the sensitive neutrino detectors to operate at the SNS. Furthermore, these measurements will allow neutron shielding designs to be optimized and the neutrino source simulations to be bench marked. **LDRD Impact:** The capabilities of the NSC were extended to higher energy and operated in several locations. Due to the high quality measurements and the credibility of the simulations, Sandia has been leading the COHERENT collaboration, a group of 43 scientists from 15 institutions, on determining viable locations and developing detector and shielding designs. This work may be of potential benefit to the DOE's Office of Science, High Energy Physics division and NNSA-Defense Nuclear Nonproliferation.



Sandia's Neutron Scatter Camera deployed at Beamline 14a of the Spallation Neutron Source. Above right is the absolute neutron flux measured at that location. Below right is an image of the incident neutron backgrounds, clearly showing the neutron source (hot spot in the middle) and background neutrons leaking from the two shielded beamlines on either side.

## **Upcoming LDRD Events**

- March 2 April 9: LDRD Idea Reviews
- ➤ April 14 May 21: New and Continuation Standard and Grand Challenge proposals submission

## **LDRD Projected Budget and Status**

FY15 Q2 - \$146M, 359 projects funded at \$135.6M

## **Awards and Recognition for LDRD Participants:**

- Somuri Prasad was awarded the Asian American Engineer of the Year award, by the Chinese Institute of Engineers-USA to honor outstanding Asian American professionals in STEM. (See the June 2014 LDRD Monthly report feature article, Synthesis of Wear-Resistant Electrical Contact Materials by Physical Vapor Deposition leads to development of E-Beam Hard Gold)
- ➤ Patrick Feng was also recognized by the Chinese Institute of Engineers, in the Most Promising Engineer of the Year award category. (See the September 2014 LDRD Monthly report feature article, **Triplet-Harvesting Plastic Scintillators**.)



